

University of Groningen

## Early risk factors for chronic rejection after lung transplantation

Zweers, Noëlle

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2006

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Zweers, N. (2006). *Early risk factors for chronic rejection after lung transplantation*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

## **Stellingen behorende bij het proefschrift**

### **Early risk factors for chronic rejection after lung transplantation**

---

1. Tegenwoordig wordt in klinische longtransplantatie vooral gebruik gemaakt van hersendode donoren. In de toekomst zal daar meer en meer van afgeweken moeten worden om de overleving na longtransplantatie te verbeteren (dit proefschrift).
2. In tegenstelling tot de algemeen heersende gedachte binnen de klinische longtransplantatie wordt chronische rejectie na longtransplantatie niet alleen gekarakteriseerd door bronchiolitis obliterans, maar ook door veranderingen in de bloedvaten (dit proefschrift).
3. In het huidige transplantatiebeleid wordt vooral rekening gehouden met cytomegalovirus- en Epstein-Barr-virusinfecties terwijl het voorkomen en bestrijden van luchtweginfecties minstens zo belangrijk is (dit proefschrift).
4. Het ontstaan van chronische rejectie na longtransplantatie wordt niet bepaald door één risicofactor maar door een combinatie van risicofactoren (dit proefschrift).
5. Het succesvol afronden van een promotieonderzoek wordt meer bepaald door de mate van doorzettingsvermogen dan door intelligentie van de AIO.
6. De werkstress van een onderzoeker wordt in het weekend vaak afgereageerd op amateurscheidsrechters.
7. Door iedereen standaard als orgaandonor in het registratiesysteem op te nemen wordt een bewuste keuze voor of tegen orgaandonatie gestimuleerd.
8. Door de snelle ontwikkeling op het gebied van de technologie zal er in de toekomst naast de welbekende muisarm ook de iPod-duim ontstaan.
9. "Logic takes you from A to B; imagination takes you everywhere" (Einstein), maar een groter AIO-budget zal het maken van verre reizen wel vergemakkelijken.

Noëlle Zweers  
Groningen, 1 maart 2006